



antiphospholipid syndrome

Antiphospholipid syndrome is a disorder characterized by an increased tendency to form abnormal blood clots (thromboses) that can block blood vessels. This clotting tendency is known as thrombophilia. In antiphospholipid syndrome, the thromboses can develop in nearly any blood vessel in the body, but most frequently occur in the vessels of the lower limbs. If a blood clot forms in the vessels in the brain, blood flow is impaired and can lead to stroke. Antiphospholipid syndrome is an autoimmune disorder. Autoimmune disorders occur when the immune system attacks the body's own tissues and organs.

Women with antiphospholipid syndrome are at increased risk of complications during pregnancy. These complications include pregnancy-induced high blood pressure (preeclampsia), an underdeveloped placenta (placental insufficiency), early delivery, or pregnancy loss (miscarriage). In addition, women with antiphospholipid syndrome are at greater risk of having a thrombosis during pregnancy than at other times during their lives. At birth, infants of mothers with antiphospholipid syndrome may be small and underweight.

A thrombosis or pregnancy complication is typically the first sign of antiphospholipid syndrome. This condition usually appears in early to mid-adulthood but can begin at any age.

Other signs and symptoms of antiphospholipid syndrome that affect blood cells and vessels include a reduced amount of blood clotting cells called platelets (thrombocytopenia), a shortage of red blood cells (anemia) due to their premature breakdown (hemolysis), and a purplish skin discoloration (livedo reticularis) caused by abnormalities in the tiny blood vessels of the skin. In addition, affected individuals may have open sores (ulcers) on the skin, migraine headaches, heart disease, or intellectual disability. Many people with antiphospholipid syndrome also have other autoimmune disorders such as systemic lupus erythematosus.

Rarely, people with antiphospholipid syndrome develop thromboses in multiple blood vessels throughout their body. These thromboses block blood flow in affected organs, which impairs their function and ultimately causes organ failure. These individuals are said to have catastrophic antiphospholipid syndrome (CAPS). CAPS typically affects the kidneys, lungs, brain, heart, and liver, and is fatal in over half of affected individuals. Less than 1 percent of individuals with antiphospholipid syndrome develop CAPS.

Frequency

The exact prevalence of antiphospholipid syndrome is unknown. This condition is thought to be fairly common, and may be responsible for up to one percent of all thromboses. It is estimated that 20 percent of individuals younger than age 50 who have a stroke have antiphospholipid syndrome. Ten to 15 percent of people with systemic lupus erythematosus have antiphospholipid syndrome. Similarly, 10 to 15 percent of women with recurrent miscarriages likely have this condition. Approximately 70 percent of individuals diagnosed with antiphospholipid syndrome are female.

Genetic Changes

The genetic cause of antiphospholipid syndrome is unknown. This condition is associated with the presence of three abnormal immune proteins (antibodies) in the blood: lupus anticoagulant, anticardiolipin, and anti-B2 glycoprotein I. Antibodies normally bind to specific foreign particles and germs, marking them for destruction, but the antibodies in antiphospholipid syndrome attack normal human proteins. When these antibodies attach (bind) to proteins, the proteins change shape and bind to other molecules and receptors on the surface of cells. Binding to cells, particularly immune cells, turns on (activates) the blood clotting pathway and other immune responses.

The production of lupus anticoagulant, anticardiolipin, and anti-B2 glycoprotein I may coincide with exposure to foreign invaders, such as viruses and bacteria, that are similar to normal human proteins. Exposure to these foreign invaders may cause the body to produce antibodies to fight the infection, but because the invaders are so similar to the body's own proteins, the antibodies also attack the human proteins. Similar triggers may occur during pregnancy when a woman's physiology, particularly her immune system, adapts to accommodate the developing fetus. These changes during pregnancy may explain the high rate of affected females.

Certain genetic variations (polymorphisms) in a few genes have been found in people with antiphospholipid syndrome and may predispose individuals to produce the specific antibodies known to contribute to the formation of thromboses. However, the contribution of these genetic changes to the development of the condition is unclear.

People who test positive for all three antibodies but have not had a thrombosis or recurrent miscarriages are said to be antiphospholipid carriers. These individuals are at greater risk of developing a thrombosis than is the general population.

Inheritance Pattern

Most cases of antiphospholipid syndrome are sporadic, which means they occur in people with no history of the disorder in their family. Rarely, the condition has been reported to run in families; however, it does not have a clear pattern of inheritance. Multiple genetic and environmental factors likely play a part in determining the risk of developing antiphospholipid syndrome.

Other Names for This Condition

- anti-phospholipid syndrome
- antiphospholipid antibody syndrome
- Hughes syndrome

Diagnosis & Management

These resources address the diagnosis or management of antiphospholipid syndrome:

- APS Support UK: Diagnosis: How To Get Tested
<http://www.aps-support.org.uk/resources/factsheets/HSF-APS-AHS-Diagnosis-How-to-get-tested.pdf>
- APS Support UK: Treatment and Medication: Current Advice and Information
<http://www.aps-support.org.uk/resources/factsheets/HSF-APS-AHS-Treatment-and-Medication.pdf>
- Genetic Testing Registry: Antiphospholipid syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0085278/>
- National Heart Lung and Blood Institute: How Is Antiphospholipid Antibody Syndrome Treated?
<https://www.nhlbi.nih.gov/health/health-topics/topics/aps/treatment>

These resources from MedlinePlus offer information about the diagnosis and management of various health conditions:

- Diagnostic Tests
<https://medlineplus.gov/diagnostictests.html>
- Drug Therapy
<https://medlineplus.gov/drugtherapy.html>
- Surgery and Rehabilitation
<https://medlineplus.gov/surgeryandrehabilitation.html>
- Genetic Counseling
<https://medlineplus.gov/geneticcounseling.html>
- Palliative Care
<https://medlineplus.gov/palliativecare.html>

Additional Information & Resources

MedlinePlus

- Encyclopedia: Miscarriage
<https://medlineplus.gov/ency/article/001488.htm>
- Encyclopedia: Placental Insufficiency
<https://medlineplus.gov/ency/article/001485.htm>
- Encyclopedia: Preeclampsia
<https://medlineplus.gov/ency/article/000898.htm>
- Health Topic: Autoimmune Diseases
<https://medlineplus.gov/autoimmunediseases.html>
- Health Topic: Blood Clots
<https://medlineplus.gov/bloodclots.html>
- Health Topic: Health Problems in Pregnancy
<https://medlineplus.gov/healthproblemsinpregnancy.html>
- Health Topic: High Blood Pressure in Pregnancy
<https://medlineplus.gov/highbloodpressureinpregnancy.html>

Genetic and Rare Diseases Information Center

- Antiphospholipid syndrome
<https://rarediseases.info.nih.gov/diseases/5824/antiphospholipid-syndrome>
- Catastrophic antiphospholipid syndrome
<https://rarediseases.info.nih.gov/diseases/9820/catastrophic-antiphospholipid-syndrome>

Additional NIH Resources

- National Heart Lung and Blood Institute: How Is Antiphospholipid Antibody Syndrome Treated?
<https://www.nhlbi.nih.gov/health/health-topics/topics/aps/treatment>
- National Heart Lung and Blood Institute: What Is Antiphospholipid Antibody Syndrome?
<https://www.nhlbi.nih.gov/health/health-topics/topics/aps/>
- National Human Genome Research Institute: Learning About Antiphospholipid Syndrome (APS)
<https://www.genome.gov/17516396/>
- National Institute of Neurological Disorders and Stroke: Antiphospholipid Syndrome Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Antiphospholipid-Syndrome-Information-Page>

- National Institute of Neurological Disorders and Stroke: Stroke Information Page
<https://www.ninds.nih.gov/Disorders/All-Disorders/Stroke-Information-Page>
- WomensHealth.gov: Pregnancy Loss
<https://www.womenshealth.gov/pregnancy/youre-pregnant-now-what/pregnancy-loss>

Educational Resources

- Cleveland Clinic: Hypercoagulable States (Blood Clotting Disorders)
<http://my.clevelandclinic.org/health/articles/blood-clotting>
- Disease InfoSearch: Antiphospholipid Syndrome
<http://www.diseaseinfosearch.org/Antiphospholipid+Syndrome/522>
- Disease InfoSearch: Catastrophic Antiphospholipid Syndrome
<http://www.diseaseinfosearch.org/Catastrophic+Antiphospholipid+Syndrome/1167>
- MalaCards: antiphospholipid syndrome
http://www.malacards.org/card/antiphospholipid_syndrome
- MalaCards: catastrophic antiphospholipid syndrome
http://www.malacards.org/card/catastrophic_antiphospholipid_syndrome
- Merck Manual Professional Version
<http://www.merckmanuals.com/professional/hematology-and-oncology/thrombotic-disorders/antiphospholipid-antibody-syndrome-aps>
- National Health Service (UK)
<http://www.nhs.uk/conditions/Hughes-syndrome/Pages/Introduction.aspx>
- Orphanet: Antiphospholipid syndrome
http://www.orpha.net/consor/cgi-bin/OC_Exp.php?Lng=EN&Expert=80

Patient Support and Advocacy Resources

- APS Foundation of America, Inc.
<http://www.apsfa.org/>
- APS Foundation of America, Inc.: Antiphospholipid Antibody Syndrome (APS) & Pregnancy
<http://www.apsfa.org/pregnancy.htm>
- APS Support UK
<http://www.aps-support.org.uk/>
- European Forum on Antiphospholipid Antibodies: CAPS Registry
<https://ontocrf.grupocostaisa.com/es/web/caps>
- European Registry Obstetrical Anti-Phospholipid Antibody Syndrome
<https://euroaps.wordpress.com/about/>

- March of Dimes: Thrombophilias
<http://www.marchofdimes.org/pregnancy/thrombophilias.aspx>
- National Blood Clot Alliance
<https://www.stoptheclot.org/>

Genetic Testing Registry

- Antiphospholipid syndrome
<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0085278/>

ClinicalTrials.gov

- ClinicalTrials.gov
<https://clinicaltrials.gov/ct2/results?cond=%22antiphospholipid+syndrome%22+OR+%22antiphospholipid+antibody+syndrome%22>

Scientific Articles on PubMed

- PubMed
<https://www.ncbi.nlm.nih.gov/pubmed?term=%28Antiphospholipid+Syndrome%5BMAJR%5D%29+AND+%28%28antiphospholipid+syndrome%5BTI%5D%29+OR+%28antiphospholipid+antibody+syndrome%5BTI%5D%29%29+AND+review%5Bpt%5D+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>

OMIM

- ANTIPHOSPHOLIPID SYNDROME, FAMILIAL
<http://omim.org/entry/107320>

Sources for This Summary

- Alijotas-Reig J, Ferrer-Oliveras R, Ruffatti A, Tincani A, Lefkou E, Bertero MT, Coloma-Bazan E, de Carolis S, Espinosa G, Rovere-Querini P, Kuzenko A, Valverde EE, Robles A, Cervera R, Cinti V, Fredi M, Gil-Aguado A, Lundelin K, Llurba E, Melnychuk T, Nalli C, Picardo E, Silvestro E, del Ross T, Farran-Codina I; (EUROAPS Study Group Collaborators). The European Registry on Obstetric Antiphospholipid Syndrome (EUROAPS): A survey of 247 consecutive cases. *Autoimmun Rev.* 2015 May;14(5):387-95. doi: 10.1016/j.autrev.2014.12.010. Epub 2014 Dec 31. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25555817>
- Bertero MT, Bazzan M, Carignola R, Montaruli B, Silvestro E, Sciascia S, Vaccarino A, Baldovino S, Roccatello D; Antiphospholipid Piedmont Consortium. Antiphospholipid syndrome in northwest Italy (APS Piedmont Cohort): demographic features, risk factors, clinical and laboratory profile. *Lupus.* 2012 Jun;21(7):806-9. doi: 10.1177/0961203312446974.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22635240>

- Bertolaccini ML, Amengual O, Andreoli L, Atsumi T, Chighizola CB, Forastiero R, de Groot P, Lakos G, Lambert M, Meroni P, Ortel TL, Petri M, Rahman A, Roubey R, Sciascia S, Snyder M, Tebo AE, Tincani A, Willis R. 14th International Congress on Antiphospholipid Antibodies Task Force. Report on antiphospholipid syndrome laboratory diagnostics and trends. *Autoimmun Rev*. 2014 Sep;13(9): 917-30. doi: 10.1016/j.autrev.2014.05.001. Epub 2014 May 10. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24824074>
- Cervera R, Espinosa G. Update on the catastrophic antiphospholipid syndrome and the "CAPS Registry". *Semin Thromb Hemost*. 2012 Jun;38(4):333-8. doi: 10.1055/s-0032-1304718. Epub 2012 Mar 5.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22618528>
- Committee on Practice Bulletins—Obstetrics, American College of Obstetricians and Gynecologists. Practice Bulletin No. 132: Antiphospholipid syndrome. *Obstet Gynecol*. 2012 Dec;120(6):1514-21. doi: 10.1097/01.AOG.0000423816.39542.0f.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/23168789>
- Koike T. Antiphospholipid syndrome: 30 years and our contribution. *Int J Rheum Dis*. 2015 Feb; 18(2):233-41. doi: 10.1111/1756-185X.12438. Epub 2014 Dec 19. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25524556>
- Oku K, Amengual O, Atsumi T. Pathophysiology of thrombosis and pregnancy morbidity in the antiphospholipid syndrome. *Eur J Clin Invest*. 2012 Oct;42(10):1126-35. doi: 10.1111/j.1365-2362.2012.02697.x. Epub 2012 Jul 12. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/22784367>
- Willis R, Gonzalez EB, Brasier AR. The journey of antiphospholipid antibodies from cellular activation to antiphospholipid syndrome. *Curr Rheumatol Rep*. 2015 Mar;17(3):16. doi: 10.1007/s11926-014-0485-9. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/25761923>
- de Jesus GR, Agmon-Levin N, Andrade CA, Andreoli L, Chighizola CB, Porter TF, Salmon J, Silver RM, Tincani A, Branch DW. 14th International Congress on Antiphospholipid Antibodies Task Force report on obstetric antiphospholipid syndrome. *Autoimmun Rev*. 2014 Aug;13(8):795-813. doi: 10.1016/j.autrev.2014.02.003. Epub 2014 Mar 17. Review.
Citation on PubMed: <https://www.ncbi.nlm.nih.gov/pubmed/24650941>

Reprinted from Genetics Home Reference:

<https://ghr.nlm.nih.gov/condition/antiphospholipid-syndrome>

Reviewed: April 2016

Published: February 14, 2017

Lister Hill National Center for Biomedical Communications

U.S. National Library of Medicine

National Institutes of Health

Department of Health & Human Services